

ATC's new shoe & leather goods finishing range

Atc addiction

a french touch at your feet



Your partner in fashion





Your partner in fashion

ATC ADDICTION

a french touch at your

FEET

We are well-known as a French manufacturer of chemicals for the leather industry for more than 35 years.

From Beamhouse to finishing, we cover the complete range of the leather process.

As an active partner of the most important tanning industries worldwide, we have developed a new finishing range specially dedicated to shoes and leather goods.

NEW RANGE

This leaflet will give you an outline of our new range of finishing products for shoes. This guide is convenient for daily work, but for any other detailed information you may need, feel free to contact our experienced team.

RESIN BINDERS

PRODUCTS	PH	FILM HARDNESS	CHARGE	PRODUCT PROPERTIES
Actybind IS	8.5	soft	A	Soft acrylic impregnation binder, with very fine particules; adapted to lightly corrected / snuffed grain shoe upper leathers
Actybind IT	4	medium hard	A	Tight acrylic copolymer impregnation binder; adapted to corrected grain and split shoe leathers. Applied mainly with roller coat machine
Actybind R55	7.5	medium hard	A	Medium hard acrylic copolymer; excellent resistance to wet rubbing test and good resistance to acetone
Actybind R 73	7.5	medium soft	A	Medium soft, self-crosslinking acrylic binder. High physical performances (100.000 wet and dry flexes)
Actybind C 7225	7	soft	A	Soft covering base coat acrylic compact, adapted to low selection full grain or corrected grain
Actybind CAS	7	medium soft	A	Compact of acrylic binder plus strong fillers. Allows fast finishes due to its high covering power
Actybind CPM	8	medium soft	A	Compact of polyurethane plus acrylic polymer, giving a high level of covering thanks to its selected fillers. Gives excellent physical properties
Actybind PU 1169	9	very soft	A	Complex solution of polyurethane / micro acrylic binder. Very soft film. Confers an excellent adhesion, even on fatty leathers

AUXILIARY PRODUCTS Waxes - Fillers - Oils

PRODUCTS	PH	FILM HARDNESS	CHARGE	PRODUCT PROPERTIES
Actywax FF	7	soft	A	Compound of soft emulsion wax. Very efficient anti-tacky properties even in hot and humid conditions. Improves plating & embossing
Actywax BW	7	medium soft	A	Burnish Wax, made of selected hard waxes, plus oil. Generally applied by spray
Actymax S2	9.5	medium soft	A	Compound of pre-foamed fillers in polyurethane co-polymers. Hand spatula applied "Stucco", fills deep cuts
Actymax S 94	8.5	soft	A	Versatile Stucco can be used in all finishing operations. Fills medium and lighter grain damage. Applied by roller coating machine
Actywax 1008	6.5	soft	Non-ionic	Soft non-ionic wax emulsion, very versatile. Can be used in base coat & top coat. Acts also as a filler
Actywax CW	9	hard	A	Modified hard waxes in solution. Mainly used in fashion finishing as "Crunch wax"; gives a smooth brighter surface aspect
Actyfil A	7.5	medium soft	A	Anionic filler, based on high quality inorganic additives. It exhibits an excellent filling effect on small scars; it does not affect the natural grain break
Acty-Oil SV 1800	/		/	Solution of high molecular synthetic oil producing a significant dark pull-up effect. This product is usually best applied by roller coat machine, at temperature 50 to 60°C. Can be plated or polished to upgrade the selection
Acty-Oil SV 2000	5		A	Blend of synthetic and natural oil emulsion, to produce the classic "oil pull up" effect. Usually applied by reverse roller coating machine (by pad or spray). Can be polished or/and plated for improved upgradation

CASEIN BINDERS

PRODUCTS	PH	FILM HARDNESS	CHARGE	PRODUCT PROPERTIES
Actylust PS	7	medium soft	A	Combination of polyamide with natural proteins, effective for soft milled leathers. Gives a film resistant to solvent and improved resistance to water particularly when crosslinked with our Actytop EFCI
Actylust SFT	8	medium hard	A	Medium soft casein, with transparent film resistant to solvent; can be crosslinked with our Actytop EFCI
Actylust HB	8.5	very hard	A	Very hard casein, used as a high gloss top coat for glazed leathers; gives a very smooth surface. Can produce the fashion «crystal effect». Can be crosslinked with Actytop EFCI
Actylust 1079	7	medium hard	A	Protein plus hard waxes. Gives high gloss when polished or glazed. Gives a medium hard finishing, with a good resistance to solvent
Actylust LW	8	hard	A	Combination of protein binder plus a small proportion of medium hard waxes. Versatile casein, can be used in all conventional finishing as well as polishing and glazing system

TOP COATS / FEEL MODIFIERS

PRODUCTS	PH	FILM HARDNESS	CHARGE	PRODUCT PROPERTIES
Actytop WB 211	/	medium soft	A	Medium soft water based emulsion lacquer. Exhibits excellent physical performances, particularly to dry and wet rubbing tests
Actytop PU 325G	9	medium soft	A	Aqueous dispersion of aliphatic polyurethane; gives a medium soft and high gloss film. Provides outstanding physical performances, both in dry and wet flexometer and veslic rubbing tests.
Actytop EFCI	2,5		Ampho- teric	Organic polyfunctional water based fixation, acting as a crosslinker of caseins. To be used as a substitute of formaldehyde
Actytouch WS 106	5		A	Solvent free water based feel modifier. Silicone derivative giving a silky/slippery touch. Improves rubbing test
Actytouch WG 38	4.5		A	Water based feel modifier, giving a pleasant silky / waxy touch. Can be used in all water based top coats, e.g lacquer emulsions, polyurethanes, etc. Improves rubbing tests

